

## Ball Shutoffs & Playpipes

- Provides versatile combination with Protek's nozzle tips and various smooth bore tips
- Designed and constructed for rugged use and reliable performance
- Lightweight alloy or brass construction
- Available inlet size for shutoff: 1" (25 mm), 1-1/2" (38 mm) or 2-1/2" (65 mm)
- Waterway for shutoff are available in 3/4" (19 mm), 1" (25 mm), 1-3/8" (35 mm) or 1-1/2" (38 mm)
- Pistol grip mounted below the valve of ball shutoff
- Playpipe is available with or without shutoff

### 100 Ball Shutoff

- Lightweight alloy
- 3/4" (19 mm) waterway
- 1" (25 mm) swivel female inlet x 1" (25 mm) male outlet



Style 100

### 101 Ball Shutoff

- Lightweight alloy
- 1" (25 mm) waterway
- 1-1/2" (38 mm) swivel female inlet x 1-1/2" (38 mm) male outlet



Style 101

### 101-BC Ball Shutoff

- Brass construction
- 1" (25 mm) waterway
- 1-1/2" (38 mm) swivel female inlet x 1-1/2" (38 mm) male outlet

### 102 Ball Shutoff

- Lightweight alloy
- 1-3/8" (35 mm) waterway
- 1-1/2" (38 mm) or 2-1/2" (65 mm) swivel female inlet x 1-1/2" (38 mm) male outlet



Style 102-BC



Style 102



Style 101-BC

Style	Length	Weight Lbs(kg)	Threads		Waterway Size	Pistol Grip
			Inlet Female	Outlet Male		
100	5.1" (130mm)	1.5 (0.7kg)	1" (25mm)	1" (25mm)	3/4" (19mm)	YES
101	6.7" (170mm)	2.2 (1kg)	1-1/2" (38mm)	1-1/2" (38mm)	1" (25mm)	YES
101-BC	6.7" (170mm)	4.8 (2.2kg)	1-1/2" (38mm)	1-1/2" (38mm)	1" (25mm)	YES
102	6.7" (170mm)	3 (1.4kg)	1-1/2" or 2-1/2" (38mm or 65mm)	1-1/2" (38mm)	1-3/8" (25mm)	YES

