



SYNTHETIC FOAM CONCENTRATES

AFFF 1%, 3%, 6%
AFFF ARC 1x1, 1x3, 3x3, 3x6, 6x6
Multi purpose MB5, MB15, high expansion foams
Class A foams and ready to use-foam solutions
- UL, FM, EN, ICAO, LASTFIRE and SOLAS approvals

PROTEIN FOAM CONCENTRATES

Protein 3%, 6% Flouro protein 3%, 6% FFFP 3%, 6% FFFP ARC 1x3, 3x3, 3x6 - UL, FM, EN, ICAO, LASTFIRE and SOLAS approvals

FIXED FOAM HARDWARE

Portable water / foam monitors

Nozzles and branch pipes

Inductors

PORTABLE FOAM HARDWARE

Trailer mounted water/foam monitors

Fixed water/foam monitors Inductors and proportioners Foam systems Foam proportioning systems Tank protections High expansion system

DRY CHEMICAL POWDERS

ABC-powders BC-powders D-powders - EN 615 approvals

SERVICES

In-house product training Customer seminars Customer seminars for distributors System design Foam lab analysis

PRE-ENGINEERED SYSTEMS

Foam Powder Twin agent Inert gas

FIRE PRODUCTS

Fire hoses and nozzles Pumps PPV-fans Regardless of your application, Dafo Fomtec AB has the right product. We can provide the right foam for your existing facility or a full scale solution combining foam and hardware.

Aviation

Airport fire scenarios can involve hundreds of passengers and large volumes of highly flammable jet fuel. Strict regulations ensure ultra rapid response and high capacity fire fighting capability and a vital element is fire fighting foam.

Foams certified to the International Civil Aviation Organization (ICAO) standard ensure the rapid extinguishment required. The test criteria is a 60 second fire extinguishment of the test tray, as opposed to 180 seconds in the European standard EN 1568 and ISO standards. We strongly recommend the use of ICAO approved high efficiency foams for all airports.

Dafo Fomtec AB produces high quality products certified to the ICAO standard.

Industry

Dafo Fomtec AB has a wide range of foam products for all types of flammable liquids found in industries of today. We supply and service customers within Oil & Gas, Chemical, Pharmaceutical, heavy industries and other industries handling, transporting, processing or storing flammable liquids. The responsibility for protection of life, property and the environment demands the right equipment, systems, and the right foam.

Selection of the correct foam must be based on the type of flammable liquids. Fires in water-immiscible fuels can be extinguished by use of high quality AFFF, FFFP or regular synthetic foam. Fires in polar solvents require alcohol resistant foam. All these are available at Dafo Fomtec AB and we work closely with our customers to select the correct foam.

Marine

Marine fire fighting requires marine approved foam concentrates. Dafo Fomtec AB has a wide range of

foams approved for oil and chemical tankers as well as general fire fighting and engine room protection. Our distributor network provides foam to the sailing fleet, and we provide foam concentrates and systems components to the ship building industry around the world.

Municipal Fire Brigades

Municipal Fire Brigades may be confronted with fire hazards involving flammable or hazardous liquids. The selection of foams should be based on local fire hazards as well as spills and leakages from road or rail accidents within their area. This usually calls for the use of multi purpose alcohol resistant foam that can handle hydrocarbon as well as polar solvent fires.

Fire Brigades are increasingly using Class A foams when fighting fires in fibrous materials or in forest fires. Their wetting properties at low concentration are a highly useful tool in maximizing the use of water in post-fire operations. A Class A foam is a natural part of any fire brigade inventory.





The usage of foam as a fire fighting media has been known for more than 100 years but new types are still needed. We have to take new regulations, new demands, new equipment and new fuels into consideration. Continuous development work has provided us with a strong product portfolio with a wide selection of products with different performance and certifications. Beside our basic product portfolio, we also have tailor-made adaptations and modifications to suit special requirements.

Environment

Environmental issues are becoming more and more important. At Dafo Fomtec AB we look at our constituent substances to optimize the environmental profile of our products. Raw materials from renewable resources are maximized. It is important to keep all ingredients to as low a limit as possible in order to minimize environmental impact and still have good foam with strong fire fighting properties. Hence, we promote environmentally friendly training foams purely developed from compounds originating from natural sources and recommend using the powerful fire fighting foams only when needed.

Performance

Selecting fire fighting foam is to seek optimal performance for the application. This can be related to many different aspects of foam. In one case, the most important factor is to have foam with freeze-protected to very low temperatures. In other cases the extinction and burn-back resistance is the prime function. Often, a combination of different features is requested. For that reason we constantly develop our product portfolio to meet the demands of our customers.

Development

The most important parameter of foams is a quick and easy extinguishment of a fire. In order to fulfill this mission a lot of tests have to be carried out on new developments. New foams also undergo severe tests regarding storage stability where they are evaluated at both high and low temperatures.

C6 chemistry

First of all, it is important to state that Dafo Fomtec ABs foam formulations have never included substances containing PFOS. The issue with PFOS and other related substances are now history. The old type of fluoro-surfactants has now been phased out and replaced with the new C6 chemistry that utilizes telomerisation process in production. This new generation of fluoro-surfactants based on C6 chemistry has been extensively investigated regarding its health and environmental impact. The result from these evaluations shows that the compounds and their break-down products are not toxic and are not bio-accumulative. Dafo Fomtec AB has invested a lot of research effort to implement the new C6 based fluoro-surfactants in the formulations. A lot of time has been spent evaluating the fire performance of the new formulation to assure that the products will perform as expected. The work with re-formulating is now complete and we are ready to supply.

Fluorine free foams

Fluorine free foam concentrates are nothing new on the market. They have been around for several years but the interest in them has risen due to the debate of fluorine surfactant in general and PFOS in particular. What is new is a lot higher expectation and requirement on fire performance for the fluorine free foams. To meet the new demand Dafo Fomtec is investing a lot of R&D efforts to develop new fluorine free alternatives with high fire performance. In a near future we will launch new generation of fluorine free



products with high fire rating. However, this will not conclude our development work. We know that these new types of foam have to be improved and our intention is to be among the market leaders in this segment.



Dafo Fomtec AB manufacture a complete range of high quality approved and documented fire fighting foams of both synthetic and protein base. Regardless of your application Dafo Fomtec AB will have the right foam to cover your needs. Below we show a small selection of our wide range. Please have a look at our web site www.fomtec.com or contact our sales team for more information.

Synthetic Foam Concentrates

FLUORINE-FREE

FOMTEC ENVIRO 3x3 ULTRA 3% Multipurpose, alcohol resistant foam

FOMTEC LS EXP

I to 3% High, medium and low expansion foam

FOMTEC TRAINER E-LITE I-6% Training foam

FLUORINATED

FOMTEC AFFF 1% ULTRA LT 1% Aqueous film forming foam

FOMTEC AFFF 3% S

3% Aqueous film forming foam

FOMTEC AFFF 6% ULTRA 6% Aqueous film forming foam

FOMTEC ARC IXINV

1% Newtonian alcohol resistant Aqueous film forming foam

FOMTEC ARC 1x3

I-3% Multi purpose, alcohol resistant, Aqueous film forming foam

FOMTEC ARC 3x3 S

3% Multipurpose, alcohol resistant, Aqueous film forming foam

FOMTEC ARC 3x6

3-6% Multi purpose, alcohol resistant, Aqueous film forming foam

Protein Foam Concentrates

FLUORINE-FREE

FOMTEC P 3% 3% Protein foam

FOMTEC P 6 % 6% Protein foam

FLUORINATED

FOMTEC FP 3% UL 3% Fluoroprotein foam

FOMTEC FP 6% UL 6% Fluoroprotein foam

FOMTEC FFFP 3%

3% Film forming fluoroprotein foam

FOMTEC FFFP 6%


6% Film forming fluoroprotein foam

FOMTEC FFFP ARC 3x3 NV (AVALANCHE)

3% Newtonian alcohol resistant Film forming fluoroprotein foam

FOMTEC FFFP ARC 3x3 3% Alcohol resistant

Film forming fluoroprotein foam



The environmentally friendly foam from Dafo Fomtec AB

Foam type	Also available as			Stor	Storage Tanks			Process Areas		Loading Areas	Class A
	Conc.	Freeze Protected	Benefits	Foam Chambers	Sub Surface	Moni- tors	Moni- tors	Spray Systems	Sprink- lers	Sprink- lers	Hand- line
AFFF 3% A	1% - 6%	Yes	Economical	la*	0	3a*	3a*	la	la	la	2
AFFF 3%	1% - 6%	Yes	Average performance	3a	2a	4a	4 a	3a*	2a*	2a*	2
AFFF 3% F	1% - 6%	Yes	Nato listed	3a	3a	4a	4 a	3a	3a	3a	2
AFFF 3% Ultra	1% - 6%	Yes	UL listed	5a	3a	5a	5a	4a	4 a	4 a	2
AFFF 3% Ultra LT	1% - 6%	Yes	UL listed	5a	3a	5a	5a	4a	4a	4 a	3
AFFF 3% S	1% - 6%		UL and FM approved	6a	4a	6 a	6a	6 a	6 a	6 a	3
AFFF 3% ICAO	1% - 6%	Yes	ICAO approved	4 a	3a	4 a	4a	4a	4 a	4 a	3
AFFF 3% M			ICAO approved	5a	4 a	6 a	6a	5a	4 a	4 a	4
ARC 3x3	1x3 - 3x6	Yes	Economical	3ab	4 a	4ab	4ab	3ab	3ab	3ab	4
ARC 3x3 F	3×6		Enhanced performance	3ab	4 a	4ab	4ab	3ab	3ab	3ab	4
ARC 3x3 Ultra	1x3 - 6x6	Yes	UL listed	5ab	5a	5ab	5ab	5ab	5ab	5ab	4
ARC 3x3 S			UL and FM approved	5ab	4a	5ab	5ab	6ab	6ab	6ab	4
ARC 3x3 NV	lxl		High Fluidity	4ab	3a	4ab	4ab	3ab	3ab	3ab	4
ARC 3x6 Miljö			Glycol Free	3ab	3a	4ab	4ab	4ab	4ab	4ab	4
Enviro 3x3 Plus	3×6 - 6×6		Fluorine FREE	3ab	3a	4ab	4ab	3ab	3ab	3ab	4
Enviro 3x3 Ultra			Fluorine FREE	4ab	3a	4ab	4ab	3ab	3ab	3ab	4
Trainer E-lite			Training foam	0	0	0	0	0	0	0	0
Class A			Low proportioning	0	0	0	0	0	0	0	4
Class A Super			Premium grade	0	0	0	0	0	0	0	6
LS EXP			Inside air foam	0	0	0	0	0	0	0	5
MB 5		Yes	Economical	0	0	0	0	0	0	0	4
MB -20		Yes	Freeze protected	0	0	0	0	0	0	0	5
P 3%	6%		Economical, Fluorine Free	la	la	la	la	0	0	0	0
FP 3%	6%		Cost effective	4 a	4a	4a	3a	la	la	la	I
FP 3% UL	6%		Premium grade	5a	5a	4a	3a	la	la	la	I
FFFP 3%	6%		Cost effective	4 a	4a	4a	3a	2a	3a	3a	2
FFFP 3% ICAO	6%	ICAO	ICAO approved	4 a	4a	4 a	4 a	2a	3a	3a	2
FFFP ARC 3×3	3x6		Economical	4ab	4a	3ab	4ab	3ab	3ab	3ab	2
FFFP ARC 3x3 NV Avalanche			High Fluidity	5ab	5a	5ab	5ab	5ab	5ab	5ab	2
L			L								

									decks		
Deluge	Moni- tors	Hi-Exp	Deluge	Moni- tors	Foam- Makers	Moni- tors	Trucks	Medium Expansion			
-1	-1	0	1	3	la*	3a*	- 1	0	- 1	1	la
3*	2*	0	I	4	4 a	4 a	2	0	3	3	3a
3	2	0	3	4	4 a	4 a	3	0	4	4	4a
4	2	0	4	5	5a	5a	4	0	5	5	5a
4	4	0	4	5	5a	5a	4	0	5	5	5a
6	4	0	6	6	6a	6 a	4	0	5	5	4 a
4	4	0	4	4	4a	4 a	6	0	6	6	6a
5	5	0	5	5	5a	5a	6	0	6	6	6 a
3	4	0	3	4	4ab	4ab	_	2	-	4	4ab
3	4	0	3	4	4ab	4ab	_	2	-	4	5ab
5	5	0	5	5	5ab	5ab	-1	3	-	4	5ab
6	6	0	6	6	6ab	6ab	_	4	_	4	5ab
3	5	0	3	5	4ab	5ab	_	2	_	4	5ab
3	4	2	3	4	4ab	5ab	_	4	_	3	5ab
2	3	0	2	3	3ab	3ab	- 1	2	_	3	4ab
2	5	0	2	3	3ab	4ab	- 1	3	- 1	3	4ab
0	0	0	0	0	0	0	0	0	0	0	0
0	0	- 1	0	0	0	0	0	0	0	0	0
0	0	2	0	0	0	0	0	0	0	0	0
0	0	6	0	0	0	0	0	6	0	6	4 a
0	0	3	0	0	0	0	0	3	0	0	3a
0	0	4	0	0	0	0	0	3	0	0	3a
0	0	0	0	0	2a	2a	0	0	0	0	2a
-1	3	0	-1	3	4a	3a	0	0	0	3	3a
-1	3	0	I	3	4a	4a	0	0	0	3	3a
3	4	0	3	4	4a	4a	4	0	3	3	4a
3	4	0	3	4	4a	4a	6	0	6	3	4 a
2	3	0	3	3	3ab	3ab	0	0	4	4	4ab
2	4	0	4	4	5ab	5ab	5	0	4	4	5ab

Aircraft Hangars

Offshore Rigs Dike Protection

ARFF

LNG

Heli-

Marine

Spill

0 Not Suitable

I Reduced performance

2 Min- acceptabel performance

3/4 Standard performance

Best performance

a = Hydrocarbons

5/6

b = Polar solvents

* Increase application rate = better performance



Fomtec, known worldwide for its high standard of material, supplies a full range of fire fighting hardware for all applications, including the oil and petrochemical industry, logistics, marine, aviation and offshore industries around the world.

Our high performance fire fighting hardware and other related products are designed to improve the safety and efficiency of personnel and equipment, engaged in the suppression of fire.

Portable foam proportioning

Portable foam inductors are intended for accurate foam proportioning during manual foam application. Fomtec Z and HPZ inductors provide very accurate proportioning. Accurate proportioning using inductors may be sensitive to back pressures as a result of long hose lines, Fomtec HPZ inductors are designed to accommodate up to 5 bars of back pressure enabling longer hose lines after the inductor. We also provide integrated solutions for portable use such as foam trollies and trailers where the inductors are mounted together with foam storage tanks for quick deployment. We also provide portable foam pumping systems utilizing foam pumps with GB or WRP propotioners when ever very long delivery hose systems are needed.

Discharge Devices

Fomtec has a full range of portable foam discharge devices for low, medium or high expansion. Fomtec LX foam branch pipes comes in sizes 2,4 and 800 liters and provide good low expansion foam combined with long throw length. For longer throw lengths and higher capacity we offer our Frigg foam branchpipes combined with our Balder or Vidar monitors. Medium expansion foam branchpipes type Fomtec MX is ideal for covering spills and provides a thick layer of medium expansion foam, or it may be used for complete filling of smaller enclosures. Portable high expansion generators are ideal for firebrigades or industry. Our Swefan PPV combined with our foam attachment forms a very powerful tool to inject high expansion foam into buildings or onto spills when ever the use of high expansion foam needed.

Fire Hoses

Fomtec provide a range of very high quality fire hoses. Our Hoses comes in sizes from 1 inch up to 16 inches.





We supply a varied selection of water and foam hardware such as foam chambers, foam makers, proportioning skids, bladdertanks, fast response fire fighting trailers as well as water and foam hydrants, pressure regulating valves, proportioners, monitors, hoses, cabinets, etc. These products proven reliability and have been tested under the most extreme conditions.

Proportioning Systems

Accurate proportioning of foam concentrate is a vital part of any foam system. We have a complete range of proportioning systems and components utilizing various different principles. Our BFZ inductors are accurate and cost effective for use at fixed flow/pressure at 1, 3 or 6% or any other calibration. Our GB and WRP between flange proportions are designed for use with our YMER bladdertanks or foam pumps to give very accurate proportioning at variable flows and pressures. Dafo Fomtec AB provides integrated skid mounted solutions where GB or WRP proportioners are combined with various optional foam pumps such as electric pumps, diesel pumps or water turbine pumps. We also provide pre-piped or standard bladdertanks for use with our proportioners. One of our newest product is Fomtec Vrind WRI-2 ½". Thanks to the unique induction method the Vrind will maintain the same accurate proportioning throughout the whole flow range from 140 up to 1400 lpm at 10 bar inlet pressure. The Vrind is also available in a portable version suitable for forest fires, etc.

Discharge Devices

Dafo Fomtec AB has a full range of fixed foam discharge devices for low, medium or high expansion. Fomtec Bor LB fixed foam nozzles are open-head low expansion nozzles suited for use with AFFF or ARC foams. Typical applications are process areas, warehouses or any application where fast fire extinguishment is required. Other low expansion discharge devices in our range are intended for specific systems such as our VE fixed foam makers, TYR foam chambers or HBPG high back pressure foam makers for storage tank protection. We also have a full range of low expansion foam nozzles and branch pipes for use with fixed monitors. Medium expansion nozzles such as our BOR M or our SME nozzles are suited where a thicker foam blanket is desired, such as floor coverage of spill fires or for dike protection. Fomtec Bele high expansion generators are suited for total flooding of warehouses, machine rooms or any application where high expansion foam is desired.

System Components

All foam system need specialized system components such as atmospheric storage tanks, concentrate control valves, release valves, deluge valves, control systems, cabinets etc. Dafo Fomtec AB provide a selected range of high quality and foam compatible system components needed in most foam systems.





We bring more value to the business through skilled and experienced personnel, innovative products and an extensive range of approvals. Our commitment to provide high quality and innovative products to the professional fire protection market is demonstrated by our constant focus on product development, quality assurance and timely delivery.

Experience and Reputation

Our experience and commitment has given us an excellent reputation in the market place for supplying an extensive range of high quality products. In the scope there are also consulting, design, training and after sales service.

Our management's proven track record in international procurement, manufacturing, R&D and supply activities supported by the know-how of our employees, are unique in the industry.

You as a valued customer will benefit significantly from this position.

Approvals

A variety of international approvals for different applications is critical to our customers. Therefore we can supply all our foam concentrates with at least one or more international approval such as Underwriters Laboratory (UL), Factory Mutual (FM), European Standard EN 1568, ICAO, Lloyds Register of Shipping, RINA, Bureau Veritas and Lastfire protocol.

Competitive Pricing

Being a manufacturer, we will always guarantee a competitive cost structure, and therefore competitive pricing. A high market share resulting in high volume provides economies of scale resulting in more efficient trading activities and cost effective transactions.

Quality Assurance

Fomtec has been audited and certified by DNV to be in conformance with ISO 9001:2008.

All manufacturing is made following strict quality procedures. Every batch is tested for quality conformity and traceability. A retained sample is kept of each batch for future reference.

Customer Focus

Customer relations are everybody's business at Fomtec under the motto: "Deliver what the customer wants, quickly and in the cheapest possible way".

To fulfill our motto we have implemented a logistics structure with close monitoring of the transportation of goods. It ensures proper in-house documentation and complete inspection of goods at the point of embarkation or delivery.

As the true independent alternative on the market, we guarantee flexible, unique solutions, quick response and a strong customer focus.

The Fomtec Staff

The Fomtec staff are very dedicated and passionated people with a high work ethic. The Fomtec Production is situated in the south of Sweden, in Helsingborg.





