





Technical Specification for Article 9677

Product : **Antistatic Fireman Boot**

Colour	Black/ Yellow
Size range	Euro: 36 – 50 UK: 3½ - 14½
Type of construction	Vulcanized Rubber Upper and Sole
Last/ Sole Pattern	VSV/ NJV
Recommendation	<ul style="list-style-type: none"> • Structural fire fighting • General fire rescue • Bush fire fighting
<p>Compliance</p> <div style="border: 1px solid black; padding: 5px; width: fit-content;"> <p>CE 0321</p> <p>EN ISO 20345 : 2004 SB P A CI E EN 15090 : 2006 F2A HI3 P T CI</p> </div>  <div style="text-align: center;">  <p>AS/NZS 4821 : 2006 (P E T I HI)</p> </div>	<p>European Standard CE Approved – EN 15090 : 2006 (F2A HI3 P T CI) EN ISO 20345 : 2004 (SB P A HI CI E)</p> <p>Australia New Zealand Standard Approved- AS/NZS 4821 : 2006 (P E T I HI)</p> <p>F2 = Type 2 footwear for firefighters suitable for fire rescue, fire suppression, property conservation & etc.</p> <p>A = Antistatic footwear with electrical resistance of 100 kΩ < R ≤ 1000 MΩ</p> <p>HI3 = Heat Insulation Level 3</p> <p>CI = Cold Insulation</p> <p>E = Heel Energy absorption</p> <p>P = Penetration resistance</p> <p>T = Toe protection</p>



Lining Material	<ul style="list-style-type: none"> • Extra comfort with woven polycotton canvas
Upper construction	<ul style="list-style-type: none"> • Flame retardant upper with heat insulation • Reinforced rubber upper • Waterproof • High visibility with black and yellow contrast
Sole / Heel	<ul style="list-style-type: none"> • Flame retardant rubber outsole • Fuel oil resistant sole suitable for inimical environment • Slip resistant vulcanized rubber sole • Excellent abrasion resistant for extra durability • Meets the ESD requirements • Heel energy absorption design to minimize heel impact • Cold insulation sole construction
Steel Midsole	<ul style="list-style-type: none"> • Non-corrosive stainless steel • Withstands pin & sharp objects
Steel Toe Cap	<ul style="list-style-type: none"> • Epoxy coated toe caps • Meets EN ISO 20345 impact and compression tests • Reliable protection in cold & hot environments
Chemical Resistance	<ul style="list-style-type: none"> • Sole & Upper – Resistant towards mild acids and alkalines
Finishing	<ul style="list-style-type: none"> • Lacquer coating for weather protection
Packing	<ul style="list-style-type: none"> • Recyclable Polybag & 6 pairs in a carton

**Specifications of the product are subject to changes without prior notice for further enhancements.*

Rev: 02/MUNA

June 2011

