AlphaTec®

66-300 PVC, Red, 390 g/m²

Formerly known as TRELLCHEM® SPLASH 600

Basic splash protective coverall for protection against chemical spray in low-risk environments.

- · A versatile everyday workwear
- · Available in 5 different designs
- Made from a strong and flexible fabric, ensuring wearer comfort
- Suit material is antistatic
- Provides good protection against alkalis and acids
- Offers protection against infective agents
- Certified to EN 14605:2005, type 4 (spray-tight)




Open legs (2 suit models) or attached PVC safety boots (3 suit models)

Applications

- Chemical Handling
- Emergency Teams
- Fire & Rescue Service
- First Response
- Hazmat Teams
- Industrial and Tank Cleaning
- Petrochemicals

Material Construction





AlphaTec®

66-300 PVC, Red, 390 g/m²

PRODUCT INFORMATION

	AlphaTec® 66-300, PVC 390 g/m² - Model Description		
	Material	Model	Design features
AlphaTec®	66-300	111	Open legs, open sleeves with hook-and-loop closure
		111-G09	Open legs, Bayonet rings + AlphaTec® (Scorpio) #08-354 gloves
		122	Attached boots, open sleeves with hook-and-loop closure
		122-G09	Attached boots, Bayonet rings + AlphaTec® (Scorpio) #08-354 gloves
		122W-G09	Attached boots, watertight PVC zipper, Bayonet rings + AlphaTec® (Scorpio) #08-354 gloves

	AlphaTec® 66-300, PVC 390 g/m²		
Design	Coverall with drawstring hood.		
Garment material	Polyamide fabric, coated with PVC on both sides, 390 g/m². PVC is suitable for protection against alkaline chemicals in all concentrations, such as sodium hydroxide and ammonia, and against low to medium concentration acids, such as hydrochloric acid.		
Seams	Double welded.		
Hood	Drawstring hood with chin flap for added protection.		
Sleeves/Gloves & Attachments	Open sleeves with hook-and-loop straps, or fitted with Scorpio #08-354 gloves (see model description above). If fitted, gloves are attached with a Bayonet glove ring system, which offers quick and simple glove exchange.		
Legs/Footwear & Attachments	Open legs with elastic (Model 111), or attached PVC safety boots (Model 122), see model description above.		
Zipper	Nylon zipper, or watertight PVC zipper (see model description above). The zipper is protected by a double splash guard/flap with press studs.		
Colour	Red		
Sizes	XXS - XXXL		
Included with each delivery	 2 pcs extra locking pins for the Bayonet glove ring system (if fitted) 1 pce Molycote lubrication for the O-rings in the Bayonet glove ring system (if fitted) 1 pce grease stick for lubrication of the zipper (only for suits fitted with watertight zipper) 		
Standards & Approvals	• EN 14605:2005 + A1:2009 type 4 (spray-tight) • EN 14126:2003 (infective agent protection) • EN 1149-5:2008 (antistatic suit material)		

Latin America & Caribbean

CNPJ: 03.496.778/0001-21

Rua das Figueiras 474 – 4° Andar

SP 09080-300 Santo André, Brazil

Ansell Brazil Ltda.

+55 11 3356 3100

sac@ansell.com

Bairro Jardim

For additional information, visit us at protective.ansell.com or contact us at:

Ansell Protective Solutions AB

Arenagatan 8B 215 33 Malmö Sweden Tel. + 46 10 205 1800 order.protective@ansell.com

North America

Ansell Healthcare LLC 111 Wood Avenue South, Suite 210 Iselin, NJ 08830, USA Tel. + 1 800 800 0444 Fax. + 1 800 800 0445 info@ansell.com

Europe, Middle East and Africa

Ansell Healthcare Europe NV Riverside Business Park Blvd International, 55 1070 Brussels, Belgium Tel. + 32 2 528 74 00 Fax + 32 2 528 74 01 info.europe@ansell.com

Asia Pacific

Assa Pacinic
Ansell Protective Solutions Singapore Pte. Ltd.
237, Pandan Loop,
#05-05 Westech Building
128424 Singapore
Tel. + 65 6908 4115
order.protective@ansell.com

Performance Standards









